




Applications

- ☑ Urban Station
- ✓ Industrial station (food industry, chemistry...)
- ✓ Pump station
- ✓ Micro-stations activated sludge type

STEP P

Bio-treatment for urban sewage treatment stations





Packaging

6 x 1 Kg 4 x 5 Kg 1 x 25 Kg

Characteristics

Aspect: Grey powder

Odor: None pH: 7.4

Norm: AFNOR NF X 42-040 **Directive:** 2000/54/CEE

Biotechnology

STEP P is a real energizing of the bacterial flora of activated sludge.

STEP P warns against the risk of overflowing of MeS or foam, phenomena related to assaults on bio basin (overload, toxic, disinfectants ...)

Formulated with selected active microorganisms (AMO),STEP P biodegrades organic matter and reduces problems of odors (VOCs).

Benefits

- Reduce DCO/DBO5
- Degrade organic matters
- Improve activated sludge
- Reduce MES
- Facilitate digestion of Sludge
- Increase biodegradability of endogeous sludge in case of overload or start up
- Limit odor problem (COV)
- fast and sustainable establishment thanks to a faster growth rate of bacteria compare to other micro-organisms

Dosing

(Contact us for industrial use)

Daily treatment: Urban

STEP P / month	Eq Hab
30g/month	1

Shock treatment

STEP P	Eq Hab
100 gr	1

Directions for user

- Pour directly into the biological pond, aeration working, or at the entrance of the primary tailings pond.
- 2 Eventually complete with ACTI P and NUTRIFLOC P
- **3** In case of strong odors perform a shock treatment

Related products:

For an effective & sustainable hygiene, use products labeled ECO-PERFORMANT ®:

- **ACTI P** Effectively activates the biological degradation of organic matter.
- NUTRIFLOC improves sludge settling and avoid departures of MeS
- SANISURF Organic maintenance of sanitary, avoiding any risk of toxicity for biomass.



EUROBIO SA
Siège FMR PPLO S 2 Le Techniparc.
385, rōlè Alt Bello S 2 Le Techniparc.
385, rōlè Alt Bello S 2 Le Techniparc.
Tel: +3360 Half Alt Bello S 34000 Montpellier
Fax: +53(0) Half Alt Bello S 3600 Montpellier
Fax: +53(0) Half Bello S 3600 Montpellier
Fax: +53(





